

**SHANGHAI WINLONG TRADING CO., LTD.**

**Your Quick-Response Partner for Commercial Kitchen Parts**



## Who We Are

Established in 2018, SHANGHAI WINLONG TRADING CO., LTD. specializes in the supply of genuine European and American replacement parts for commercial kitchen equipment. We are committed to being your reliable parts supply partner with ready stock and rapid response, ensuring the efficient operation of your kitchen equipment.

## Our Focus

**Specialized Supply:** Replacement parts for European & American brand commercial kitchen equipment.

**Target Clients:** Restaurants, maintenance companies, distributors, and export-oriented kitchenware factories.

**Core Promise:** Professional, Reliable, and Quick Response.

## Ready Stock, Efficient Assurance

**East China Central Warehouse |** Over 30,000 SKUs in Regular Stock

**Real Stock:** Local inventory, fast dispatch after order confirmation.

**Wide Coverage:** Covers frequently needed parts for hundreds of brands including ROBERTSHAW and EGO.

**Fast Delivery:** Efficient distribution in Shanghai and the Yangtze River Delta region.

## 7×12 Hours, Professional Response

**Service Hours:** Monday to Sunday, 9:00 – 21:00

**Response Standard:** Quotation within 10 minutes | Stock confirmation within 5 minutes

We do not provide equipment installation services, but we ensure the parts you need are delivered accurately and quickly.

*We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.*

## **Four Core Commitments**

5.1 Quality First: Selected high-quality suppliers with a strict quality control system.

5.2 Speed First: Optimized logistics network for rapid demand response.

5.3 Integrity First: Transparent pricing and honest business practices.

5.4 Service First: 7×12 hours of professional service to quickly resolve your needs.

## **Our Partners**

Restaurant chains

Hotel engineering and maintenance departments

Equipment repair service companies


Kitchenware distributors

Export-oriented kitchenware manufacturers (providing localized spare parts support for overseas after-sales service)



1  
230V thermostat

Serial number	Description	t.rangeC°	probe L (mm)	probe ø(mm)	cap. (mm)	With or without nuts	volt. (V)	EGO
WLTH0001	THERMOSTAT SINGLE-PHASE 85°C	30-85	92	6	3150	no	230	55.13012.390
WLTH0003	THERMOSTAT SINGLE-PHASE 30-110°C	30-110	115	6	830	no	230	55.13022.050
WLTH0004	THERMOSTAT SINGLE-PHASE 30-120°C	30-120	85	6	2970	no	230	55.13026.050
WLTH0006	THERMOSTAT SINGLE-PHASE 52-185°C	52-185	77	6	1470	no	230	55.13034.150
WLTH0007	THERMOSTAT SINGLE-PHASE 60-190°C	60-190	77	6	870	no	230	55.13032.400
WLTH0008	THERMOSTAT SINGLE-PHASE 190°C	190	77	6	1980	no	230	55.13034.140
WLTH0010	THERMOSTAT SINGLE-PHASE 200°C	200	78	6	870	no	230	55.13032.450
WLTH0011	THERMOSTAT SINGLE-PHASE 50-250°C	50-250	62	6	1450	no	230	55.13044.050
WLTH0012	THERMOSTAT SINGLE-PHASE 50-275°C	50-275	160	6	870	no	230	55.13052.370
WLTH0013	THERMOSTAT SINGLE-PHASE 300°C	300	77	6	1470	no	230	55.13054.110
WLTH0014	THERMOSTAT SINGLE-PHASE 45-300°C	45-300	160	3	870	no	230	55.13052.300
WLTH0015	THERMOSTAT SINGLE-PHASE 50-320°C	50-320	160	3	870	no	230	55.13069.500




2

Serial number	Description	t.rangeC°	probe L (mm)	probe ø(mm)	cap. (mm)	With or without nuts	volt. (V)	EGO
WLTH0002	SINGLE-PHASE THERMOSTAT 30-110°C	30-110	113	6	870	Yes	230	55.13022.010
WLTH0005	THERMOSTAT SINGLE-PHASE 120°C	120	98	6	870	Yes	230	55.13222.280
WLTH0009	THERMOSTAT SINGLE-PHASE 61-190°C	61-190	73	6	870	Yes	230	55.13032.530




3



4


Serial number	Description	t.rangeC°	probe L (mm)	probe ø(mm)	cap. (mm)	With or without nuts	volt. (V)	EGO
WLTH0016	THERMOSTAT SINGLE-PHASE 75-455°C	75-455	228	4	900	no	230	55.19082.802
WLTH0017	THERMOSTAT SINGLE-PHASE 500°C	500	16	4	830	no	230	55.13082.010

We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.



### 380V thermostat


Serial number	Description	t.rangeC°	probe L (mm)	probe ø(mm)	cap. (mm)	With or without nuts	volt. (V)	EGO
WLTH0001	THERMOSTAT THREE-PHASE 120-206°C	120-206	157	4	1780	no	380	55.34235.020
WLTH0002	THERMOSTAT THREE-PHASE 109-190°C	106-190	157	4	1780	no	380	55.34235.040
WLTH0003	THERMOSTAT 3-PHASE 95-195°C	95-195	117	6	1780	Yes	380	55.34035.090
WLTH0004	THREE-PHASE THERMOSTAT 50-500°C	50-500	228	4	1200	no	380	55.34093.800
WLTH0005	THREE-PHASE TERMOSTATO 400°	140-360	263	3	1700	no	380	55.34079.900
WLTH0006	THREE-PHASE THERMOSTAT 60-320°C	60-320	128	4	1800	no	380	55.34069.804
WLTH0007	THREE-PHASE THERMOSTAT 30-350°C	60-350	128	4	880	no	380	55.34062.150
WLTH0008	THREE-PHASE THERMOSTAT 100-350°C	100-350	75	6	870	no	380	55.34062.010
WLTH0009	THERMOSTAT 3-PHASE 100-292°C	285	219	3	1150	no	380	55.34059.801
WLTH0010	THERMOSTAT 3-PHASE 50-300°C	50-300	219	3	900	no	380	55.34052.819
WLTH0011	THREE-PHASE THERMOSTAT 50-300°C	50-300	79	6	840	no	380	55.34052.010
WLTH0012	THREE-PHASE THERMOSTAT 65-200°C	65-200	79	6	840	Yes	380	55.34032.060
WLTH0013	THREE-PHASE THERMOSTAT 60-200°C	60-200	77	6	880	no	380	55.34032.030
WLTH0014	THREE-PHASE THERMOSTAT 30-70°C	30-70	77	6	880	no	380	55.34011.200
WLTH0015	THERMOSTAT THREE-PHASE 100-350°C	100-350	147	3	900	no	380	55.34062.160
WLTH0016	THREE-PHASE TERMOSTATO 110°	110	138	6	880	no	380	55.34022.170



380V temperature limiter


Serial number	Description	range°C	probe L (mm)	probe ø(mm)	cap. (mm)	cap.ins. (mm)	With or without nuts	volt. (V)	EGO
WLTH0001	THERMOSTAT THREE-PHASE 365°C	365	120	4	1300	1250		380	55.32569.814
WLTH0002	THREE-PHASE THERMOSTAT 360°C	360	120	4	900	900		380	55.32562.806
WLTH0003	3-PHASE THERMOSTAT 338°C	357	53	6	900	900	是	380	55.32562.847
WLTH0004	3-PHASE THERMOSTAT 350°C	350	120	4	900	670	是	380	55.32562.807
WLTH0005	THREE-PHASE THERMOSTAT 350°C	350	77	6	1490	800		380	55.32564.040
WLTH0006	THREE-PHASE THERMOSTAT 270°C	270	79	6	2050	1700		380	55.32559.080
WLTH0007	THREE-PHASE THERMOSTAT 235°C	235	120	4	1800	1600	是	380	55.32545.802
WLTH0008	TERMOSTATO THREE-PHASE 235°C	235	87	6	1790	1710	是	380	55.32545.090
WLTH0009	SINGLE-PHASE THERMOSTAT 230°C	230	87	6	890			380	55.32542.836
WLTH0010	THREE-PHASE THERMOSTAT 169°C	169	128	4	890	210/210		380	55.32532.020
WLTH0011	THERMOSTAT SAFETY THREE-PHASE 150°C	150	98	6	4800			380	55.32527.010
WLTH0012	TERMOSTATO THREE-PHASE 135°C	135	73	6	1490	1350	是	380	55.32524.160
WLTH0013	TERMOSTATO THREE-PHASE 105°C	105	94	6	1490		是	380	55.32524.010
WLTH0014	TERMOSTATO THREE-PHASE 82°C	82	107	6	890			380	55.32512.110
WLTH0015	TERMOSTATO THREE-PHASE 60°C	60	73	6	1790			380	55.32515.010

We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.




**Bakelite switch**

Serial number	Description	type	unction	equence	volt. (V)	ef. No.
WLOS0001	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	230	46.27266.500
WLOS0002	SELECTOR SWITCH 0-6 POSITIONS	7	6NO	0-1-2-3-4-5-6	230	46.27266.813
WLOS0003	SELECTOR SWITCH 0-5 POSITIONS	6	5NO	0-1-2-3-4-5	230	46.23866.500
WLOS0004	SELECTOR SWITCH 2 POSITIONS	2	2NO	0-1	230	42.02900.027
WLOS0005	SELECTOR SWITCH 0-1 POSITIONS	2	2NO	0-1	230	42.02900.000
WLOS0006	SELECTOR SWITCH 1-2-3 POSITIONS	3		1-2-3	230	0K8614
WLOS0007	SELECTOR SWITCH 0-3 POSITIONS	4		0-1-2-3	230	0C9725



**Ceramic 230V switch**

Serial number	Description	type	function	sequence	volt. (V)	Ref. No.
WLOS0001	SELECTOR SWITCH 0-1 0-1 POSITIONS	4	4NO	0-1-0-1	230	49.42015.000
WLOS0002	SELECTOR SWITCH 0-1 POSITIONS	2	4NO	0-1	230	49.41015.500
WLOS0003	SELECTOR SWITCH 0-1 POSITIONS	2	Operating switch	0-1	230	49.41015.300
WLOS0004	SELECTOR SWITCH 0-3 POSITIONS	4	3NO/2CO	0-1-2-3	230	49.34615.701
WLOS0005	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	230	49.27215.747
WLOS0006	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	230	49.27215.746
WLOS0007	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	230	49.27215.000
WLOS0008	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	230	49.27015.000
WLOS0009	SELECTOR SWITCH 0-1-0-1 POSITIONS	4	2NO	0-1-0-1	230	49.22015.000
WLOS0010	SELECTOR SWITCH 0-3 POSITIONS	4	2CO	0-1-2-3	230	49.24015.000



**Ceramic 380V switch**


Serial number	Description	type	function	sequence	volt. (V)	Ref. No.
WLOS0001	SELECTOR SWITCH 0-3 POSITIONS	4	3NO/1CO	0-1-2-3	380-440	43.34232.000
WLOS0002	SELECTOR SWITCH 0-1 0-1 POSITIONS	4	4NO	0-1-0-1	380-440	43.42032.000
WLOS0003	SELECTOR SWITCH 0-1 POSITIONS	2	Operating switch	0-1	380-440	43.41832.030
WLOS0004	SELECTOR SWITCH 0-6 POSITIONS	7	1NO/2CO	0-1-2-3-4-5-6	380-440	43.27232.000
WLOS0005	SELECTOR SWITCH 0-3 POSITIONS	4	1NO/2CO	0-1-2-3	380-440	43.24232.000
WLOS0006	SELECTOR SWITCH 0-3 POSITIONS	4	4NO	0-1-2-3	380-440	43.24216.000

*We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.*




**Flanged furnace plate**

Serial number	Description	dimensions(mm)	P (W)	volt. (V)	Ref. No.
WLHP0003	ELECTRIC HOT PLATE 3500W 440V	ø300	3500	440	12.30454.009
WLHP0004	ELECTRIC HOT PLATE 3500W 400V	ø300	3500	400	12.30454.195
WLHP0006	ELECTRIC HOT PLATE 2600W 440V	ø220	2600	440	12.22454.804
WLHP0007	ELECTRIC HOT PLATE 2600W 400V	ø220	2600	400	18.22463.019
WLHP0008	ELECTRIC HOT PLATE 2600W 400V	ø220	2600	400	12.22454.801
WLHP0010	ELECTRIC HOT PLATE 2000W 230V	ø180	2000	230	19.18463.040
WLHP0011	ELECTRIC HOT PLATE 2000W 400V	ø180	2000	400	18.18463.198
WLHP0012	ELECTRIC HOT PLATE 2000W 440V	ø180	2000	440	18.18463.018
WLHP0013	ELECTRIC HOT PLATE 1500W 230V	ø180	1500	230	18.18453.002
WLHP0014	ELECTRIC HOT PLATE 1500W 400V	ø145	1500	400	18.14463.197
WLHP0015	ELECTRIC HOT PLATE 1000W 230V	ø145	1000	230	19.14453.002




Serial number	Description	dimensions(mm)	P (W)	volt. (V)	Ref. No.
WLHP0001	ELECTRIC HOT PLATE 4000W 440V	300*300	4000	440	11.33454.336
WLHP0002	ELECTRIC HOT PLATE 4000W 400V	300*300	4000	400	11.33454.249
WLHP0005	ELECTRIC HOT PLATE 2600W 440V	220*220	2600	440	11.22454.264
WLHP0009	ELECTRIC HOT PLATE 2600W 230V	220*220	2600	230	11.22454.237




**Right-angle furnace plate**

Serial number	Description	dimensions(mm)	P (W)	volt. (V)	Ref. No.
WLHP0001	ELECTRIC HOT PLATE 5000W 400V	610*305	5000	440	11.63471.111
WLHP0002	ELECTRIC HOT PLATE 5000W 440V	610*305	5000	400	11.63471.114
WLHP0003	ELECTRIC HOT PLATE 4000W 440V	300*300	4000	440	11.33460.196
WLHP0004	ELECTRIC HOT PLATE 4000W 400V	300*300	4000	400	11.33460.195
WLHP0007	ELECTRIC HOT PLATE 4000W 440V	364*420	4000	440	11.43460.124
WLHP0008	ELECTRIC HOT PLATE 3000W 440V	300*300	3000	440	11.33470.196




Serial number	Description	dimensions(mm)	P (W)	volt. (V)	Ref. No.
WLHP0005	ELECTRIC HOT PLATE 4000W 440V	300*300	4000	440	11.33460.344
WLHP0006	ELECTRIC HOT PLATE 3000W 440V	300*300	4000	400	11.33470.247

*We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.*




### Energy regulator

Serial number	Description	dimensions(mm)	P (W)	volt. (V)	Shaft diameter (mm)	Ref. No.
WKER0001	ENERGY REGULATOR	125	240	13	ø6x4.6	50.59070.048
WKER0005	ENERGY REGULATOR	125	120	13	ø6x4.6	50.57131.010
WKER0006	ENERGY REGULATOR	125	240	13	ø6x4.6	50.57071.010
WKER0007	ENERGY REGULATOR	125	400	7	ø6x4.6	50.57031.010
WKER0008	ENERGY REGULATOR	125	230	13	ø6x4.6	50.57021.010
WKER0009	ENERGY REGULATOR	125	230	13	ø6x4.6	50.55021.100



序列号	Description	dimensions(mm)	P (W)	volt. (V)	Shaft diameter (mm)	Ref. No.
WKER0002	ENERGY REGULATOR	125	230	13	ø6x4.6	50.87021.000
WKER0003	ENERGY REGULATOR	125	230	13	ø6x4.6	50.85021.000
WKER0004	ANTI-CLOCKWISE ENERGY REGULATOR	125	240	13	ø6x4.6	50.59070.051

We are always ready to respond to your parts needs—from inquiry to delivery, we provide a professional and efficient service experience.



Scan the code and add WeChat to learn more details and price information.

## SHANGHAI WINLONG TRADING CO., LTD.

Service Hotline:+86 178 2185 0228

Service Hours: Monday to Sunday, 9:00 – 21:00

<https://www.inegoing.com/>

Service Philosophy: Professional supply, quick response, trustworthy partnership.